

# Assessment of Resources for Physics Teaching in Nigerian Senior Secondary Schools

Akinbobola, Akinyemi Olufunminiyi, Ph.D\*, Bada, Abiodun Adekunle, Ph.D

Department of Special Education and Curriculum Studies, Adeyemi College of Education, Ondo, Nigeria

**\*Corresponding Author:** *Akinbobola, Akinyemi Olufunminiyi*, Department of Special Education and Curriculum Studies, Adeyemi College of Education, Ondo, Nigeria

**Abstract:** The study assessed the resources for Physics teaching in public and private senior secondary schools in Ondo West Local Government Area of Ondo State, Nigeria. Descriptive survey design was adopted for the study. A total of 60 Physics teachers took part in the study. The instrument used for collecting data was Resources for Physics Teaching Questionnaire (RPTQ) with internal consistency of 0.81 using Cronbach Alpha. The results showed that, majority of the Physics teachers available in senior secondary schools in Ondo West Local Government Area of Ondo State, Nigeria are qualified to teach Physics but the numbers are not adequate. The results also indicated that, there are more qualified Physics teachers and laboratory facilities in public schools than private schools. Also, laboratory facilities for the teaching of Physics are not adequate in number for effective teaching of Physics. It is recommended among other that, more resources (human and non-human) should be provided by government, philanthropists and non-governmental organisations in order to boost effective teaching and learning of Physics in Nigeria.

Keywords: Resources, Physics Teaching, Public and Private Schools.

# **1. INTRODUCTION**

Physics is the bedrock of science and technology because many of the tools on which the scientific and technological advancement depends are the direct products of Physics. Physics is therefore a core subject in the development of science and technology since it assists individuals to understand the rapidly technological changing society and it entails the essence of various concepts and phenomena (Akinbobola, 2015). The principles of Physics have been widely used for various economic, technological and scientific advancement, such as, in information and communication technology, which has reduced the world into a global village through the use of smart phones, computers, ipads and satellites. Also, the knowledge of Physics had led to sustainable development in the area of industrialization for improvement of material useful to the well-being of human race. Also, Physics education enables the students to acquire problem-solving and science process skills that will enhance proper critical thinking and inquiry that could help them to respond to widespread and radical changes in all facets of life (Akinbobola & Bada, 2017).

Resources are very vital tools in education. They aid teaching and learning and include everything that provides information to the teacher as well as the learner. Resources include all forms of information that are used to promote, encourage, and enhance teaching and learning and learning activities (Akinbobola, 2006). With regards to education, resources means something that can be used to increase or enhance or improve, or implement educational programme. Babalola (1992) as cited by Akpochafo (2003) defines resources to include man, machine, students, materials controlled and coordinated to achieve better teaching. There are two types of resources namely human and nonhuman resources (Akinbobola, 2006). Hofstein and Mamlok-Naaman (2007) categorized resources required for science teaching to include human resources, material resources, library resources, and industrial and science resource centres. In order to ensure sustainable teaching-learning processes in Physics, it is important that human and non-human (materials, physical and financial) resources must be adequately provided.

Achimugu (1998) refers to human resources to mean human beings who directly or indirectly contribute to the achievement of science educational objectives. These include learners, laboratory

technicians and the teachers. Material resources are structural facilities that are used to ensure effective teaching and learning, such as the classrooms, laboratories, tools, equipment, textual material, audio aids, visual aids and audio-visual aids. In this study, human resources are limited to Physics teachers while material resources are limited to laboratory facilities. Moorhead and Griffin (2002) states that, the success of any organization depends to a great extent on the status of the human resources because it coordinates both financial and physical resources for the purpose of achieving the organizational goals. Also, human resources could be categorized into teaching and non-teaching staff, and the learners. The role of teacher however is the most important. Without a well trained, strongly motivated, skilled and well supported teacher, the arch of excellent in senior secondary school Physics collapses. The teacher is the keystone of quality education. Molla (2012) characterizes an effective teacher as one who matches the strategies to the students learning styles in his effort to promote creativity and innovations.

Effective teaching and learning should ensure a coherent preparation of individuals for happy and useful living in the society. This can only be accomplished within an instructional frame work of a teaching methods and strategies. Factors to be considered in the choice of a strategy or method of teaching include:

- The age, mental ability, physical development, maturity, educational background and the entry behaviour of the learner.
- The language competence in terms of communication skills (oral and written expression) of the learners.
- Time allotted for each lesson or period per week.
- Adequacy, appropriateness and relevance of instructional materials for proper illustration and explanation of basic concepts, principles and events.
- Sustainability of the learning environments which include physical infrastructures such as library, laboratories, classroom and field/court.
- Objectives of the lesson which determine the mode of assessment of learning outcomes.
- Interest and competence of the teacher as regards to the effectiveness of using the method.
- The purpose, shape and nature of instruction determine the method of teaching to be employed (Oyekan & Akinbobola, 2017).

A Physics laboratory is a place where research and experiment are carried out, and all the tools, materials and equipment are kept for scientific investigation (Akinbobola, 2015). The use of Physics laboratory helps to integrate theory and practical work in Physics teaching. According to Olufunke (2012), advantage of using Physics laboratory include:

- Avenue for experimentation through practical work
- Display physical information
- Removing abstractness and increase effective teaching and learning.
- Poor storage of physical materials for easy access.

Based on the advantage of Physics laboratory, it is expected that teaching and learning of Physics, with Physics laboratory may help to reduce abstract nature of the subject and also help the students to overcome many misconceptions about the physical world that they have developed before undertaking formal instruction in the subject.

The use of aids in teaching is of importance as they help to stimulate learners' interest and promote understanding. According to Ogweno (2015), the teaching and learning of science which is a practical course requires practical laboratory activities because experiment is the hall mark of conducting practical classes. Thus, even when materials are within reach, they may refuse to use them. The condition under which many teachers function does not engender any enthusiasm for practical work. The class size especially in urban school in Nigeria is getting larger. Hence, the importance of adequate and well utilize laboratory cannot be over emphasize for effective Physics teaching. The National Research Council (NRS, 2000), states that, inquiry-type laboratories have the potential to

develop students' abilities and science process skills which enhance hands-on and minds-on activities. Laboratory activities according to Hofstein and Lunetta (2004) is a means of learning with understanding, and a process of constructing knowledge by active learning or learning by ding. Also, quality and meaningful learning is possible in the laboratory if students are given opportunity to manipulate tools, materials and equipment in order to be able to construct their knowledge in related scientific concept and phenomena. Hence, laboratory activities motivate students by stimulating interest and attitude, teach laboratory skills, assist concept development and acquisition, encourage social skill development and inculcate scientific attitudes (Owoeye & Yara, 2011).

Resource utilization is the process of managing and organizing resources for learning and teaching (Sally, 2010). Resource utilization deals with the extent to which materials, tools and equipment are effectively used. When the tools, equipment and materials are maximally used, they are effectively utilized and when they are not maximally used, it is said to be under-utilized. When there is so much pressure on the use of tools, materials and equipment, it may result to over utilization which could lead to break down of such tools, materials and equipment (Tobin, 1990). Resource materials utilization during practical lesson develops in the learner the manipulative skills, communicative skills, creative skills, organisational skills and acquisitive skills (Hofstein, Navon, Kipnis & Mamlok-Naaman, 2005). Maintenance of tools, materials and equipment in order to prolong their life span is also an aspect of resource utilization. Maintenance involves all activities that are put in place to keep and restore the condition of materials, tools and equipment so as to enable them to be in a good working condition for as long as possible. When activities such as greasing, servicing and repairs are put in place to restore or keep the component of an equipment, the equipment is being maintained. Maintenance prevents deterioration and also weeds out obsolete equipment which no longer serve the required function. According to Krajcik, Mamlok and Hug (2001), objective of maintenance of facilities include:

- Ensuring that equipment, tools and materials are always available to provide services for maximum benefits to staff and students.
- Protecting the operation of personnel and save facilities
- Ensuring operational readiness of tools, equipment and materials for continuous service so as to reduce losses which may result from down time
- Ensuring the use of the equipment, tools and materials for maximum benefit.

Maintenance could be routine ongoing activities such as weekly, daily or monthly cleaning of laboratory tools, equipment and materials. It could be periodic activities such as inspection and lubrication of parts of equipment to ensure continued working condition or corrective maintenance which includes activities carried out to fix back a bad tool or equipment (Ogweno, 2015). Inability to appropriately manage resource in the laboratory is a sign of poor management. Akinbobola (2006), states that, maintenance culture is very poor in Nigerian schools. The tools, materials and equipment are laying waste due to breakdown, and some are forced to breakdown by dust and cobwebs due to negligence and lack of care. Hence, this study assessed the current status of resources for Physics teaching in public and private senior secondary schools in Ondo West Local Government Area of Ondo State, Nigeria.

### 2. STATEMENT OF THE PROBLEM

A survey of senior secondary school Physics laboratories in Nigeria reveals that many of them are underfunded with outdated equipment, materials and tools. The classroom experience shows that a large number of the senior secondary school Physics students face considerable difficulty in appreciating and learning Physics concepts in a meaningful way, especially in laboratory activities. This is a clear reflection in their poor ability to solve simple day to day problems, make predictions in given situations and have poor ability to apply Physics concepts to explain ordinary natural phenomena. In most senior secondary schools in Nigeria, there are no adequate tools, materials and equipment for effective delivery of Physics education instructions. In some cases, the population of students may be greater than the available laboratory facilities. In a situation where laboratory facilities are available for learning in schools, it is discovered that they are not well maintained and utilized. This situation does not enhance effective learning of Physics. Also, since the population of students has continue to grow every year at the expense of available laboratory facilities, and the government has failed to expand or put in place new laboratory facilities, the existing laboratory facilities are been over utilized because of the pressure on them. Therefore, the laboratory activities do not match government provision of laboratory tools, materials and equipment possibly due to the condition of the national economy which continues to deteriorate. This might lead to poor academic performance of students in Physics.

## 2.1. Purpose of the Study

The purpose of the study is to assess the status of resources for Physics teaching in Ondo West Local Government Area of Ondo State, Nigeria.

# 2.2. Research Questions

- Are the teachers in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria available for the teaching of Physics?
- Are the laboratory facilities available in private and public senior secondary schools in Ondo West Local Government Area in Ondo state of Nigeria?

# 2.3. Hypotheses

- There is no significant difference between the number of qualified Physics teacher in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.
- There is no significant difference between the quantity of available laboratory facilities for teaching Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.
- There is no significant difference between the utilization of the available laboratory facilities for the teaching of Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.

## **3. RESEARCH METHOD**

Descriptive survey design was adopted for the study. The population of the study consisted of 60 Physics teachers (40 from public and 20 from private senior secondary schools) in Ondo West Local Government Area of Ondo State, Nigeria. All the Physics teachers were used for the study because of the few numbers of them involved. The instrument used in collecting data for the study was Resources for Physics Teaching Questionnaire (RPTQ). The RPTQ was designed by the researchers and it consisted of two sections. Section A consisted of demographic data on human resources such as teacher's age, gender, qualification, experience and the number of Physics teachers available in the school. Section B comprised of structured information on the availability of and utilization of laboratory facilities.

The instrument was validated by two professional Physics teachers. The RPTQ was trial tested with Physics teachers who were not part of the main study. The data collected from RPTQ were analysed using Cronbach Alpha. The result showed an internal consistency of 0.81. The instrument was then administered to the respondents. The research questions were analysed using frequency count (f) and percentage (%) while the hypotheses were test with Ch-square (x<sup>2</sup>) at 0.05 level of significance.

### 4. RESULTS AND DISCUSSION

**Research Question 1:** Are the teachers in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria available for the teaching of Physics?

Table1 showed the frequency and percentage of the available teachers by qualification in the selected schools. Table 1 also showed that, Physics teachers in public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria consisted of NCE holders (0%), BSc(Ed)/B.Ed. (8%), HND (5%), OND (0%), BSc. (2.5%), M.Sc.(7.5%) and holders of M.Ed./M.Sc.Ed. (5%) and Ph.D.(0%) respectively, while private senior secondary schools have NCE (10%), OND (5%), HND (10%), B.Sc.Ed./B.Ed. (5%), MSc. (5%) and holders of Med./M.Sc.Ed. (5%) and Ph.D (0%) respectively.

The analysis as shown in Table 1.

	Public			Р	rivate	
Qualification	Number of available Physics teachers	Qualified	Not Qualified	Number of available Physics teachers	Qualified	Not Qualified
OND			0(0%)	1		1(5%)
NCE			0(0%)	2		2(10%)
HND	2		2(5%)	2		2(10%)
B.Sc.	1		1(2.5%)	3		3(15%)
B.Sc.Ed/B.Ed.	32	32(80%)		10	10(50%)	
M.Sc.	3		3(7.5%)	1	1(5%)	
M.Ed./M.Sc.Ed.	2	2(5%)		1	1(5%)	
Ph.D						
Total Available	40			20		
Expected	56			30		

Table1: Frequency distribution and percentage of available Physics teachers

Note:

- Qualified teachers are those with at least degrees in Physics education B.Sc.(Ed)/B.Ed. Physics or B.Sc. Physics with PostGraduate Diploma in Education (PGDE) and M.Ed./M.Sc. or M.Sc. Physics with PGDE.
- Not qualified teachers are those with Higher National Diploma (HND), Ordinary National Diploma (OND), Nigeria Certificate in Education (NCE), B.Sc. and M.Sc. Physics.

Table 1 also indicated that, majority of the Physics teachers 85% and 55% in public and private senior secondary schools respectively in Ondo West Local Government Area in Ondo State of Nigeria are qualified to teach Physics .The results is in agreement with the findings of Akinbobola (2006) that majority of the Physics teachers in our senior secondary schools are qualified to teach the subjects. However, each of the school in 40 public and 20 private senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria is expected to have at least one Physics teacher. This means that 40(71.43%) out of 56 public senior secondary schools and 20(66.6%) out of 30 private senior secondary schools have Physics teachers. This implies that, the numbers of Physics teachers available in Ondo West Local Government Area in Ondo State of Nigeria are not adequate in both private and public senior secondary schools.

**Research Question 2**: Are the laboratory facilities available in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria?

**Table2:** Availability and adequacy of the laboratory facilities for Physics teaching in public and private senior secondary schools

SN	Laboratory facilities	Public s	chools	Private schools		
		Availability	Utilization	Availability	Utilization	
		( <b>AV</b> )	(UT)	(AV)	(UT)	
1	Avometer	26(65%)	26(65%)	7(35%)	7(35%)	
2	Ammeter0-3ADC	35(87.5%)	35(87.5%)	18(90%)	18(90%)	
3	<sup>1</sup> / <sub>2</sub> Amp fuse	35(87.5%)	22(55%)	10(50%)	10(50%)	
4	Accumulator lead acid car type	22(55%)	16(40%)	15(75%)	15(75%)	
5	Asbestos sheet 20cm x20cm	26(65%)	26(65%)	6(30%)	6(30%)	
6	Aluminum scale pans	22(55%)	22(55%)	5(25%)	3(15%)	
7	Balance beam type	35(87.5%)	35(85.5%)	17(85%)	16(80%)	
8	Balance lever type	30(70%)	29(72.5%)	14(80%)	13(65%)	
9	Box of weight	32(80%)	32(80%)	17(85%)	17(85%)	
10	Ballons	20(50%)	18(45%)	5(25%)	6(30%)	
11	Boiling flask 250 cc	34(85%)	32(80%)	13(65%)	13(65%)	
12	Burettes 50x0.1cm	38(95%)	38(95%)	19(95%)	18(90%)	
13	Ball and Rings	32(80%)	31(77.5%)	13(65%)	13(65%)	
14	Bimetallic strips	25(62.5%)	24(60%)	5(25%)	5(25%)	
15	Bar and gauge apparatus	17(42.5%)	15(37.5%)	10(50%)	10(50%)	
16	Breaking bars-cast iron	20(50%)	15(37.5%)	1(5%)	1(5%)	
17	Barometer fortins	21(52.5%)	21(52.5%)	10(50%)	10(50%)	
18	Bulbs 2.5V,0.3A	34(85%)	34(85%)	17(85%)	16(80%)	

# Assessment of Resources for Physics Teaching in Nigerian Senior Secondary Schools

19         Bulbs holders         31(77.5%)         19(95%)         17(55%)           20         Beakers         38(95%)         23(65%)         13(65%)           21         Curk assorted box-wood         26(65%)         23(65%)         13(65%)           22         Cylinder and bucker         33(32.5%)         10(50%)         10(50%)           23         Capillary tubes length 140cm assorted         24(60%)         23(57.5%)         10(50%)         10(50%)           24         Calipers sliding venire         30(75%)         30(75%)         13(65%)         10(50%)           25         Corport calorimeter         34(35%)         30(75%)         13(65%)         10(50%)           26         Corcogass plotting         31(77.5%)         14(45%)         5(25%)         5(25%)           28         Corcochic clips         36(09%)         33(05%)         13(05%)         10(50%)           21         Cark boards         21(55.5%)         22(55%)         10(50%)         10(50%)           31         Denaic complete         23(55%)         10(50%)         10(55%)         10(55%)           32         Cark boards         21(55%)         10(75%)         10(55%)         10(55%)           33         D	10		24 (77 50)	24 (77 50)	10(050()	15(050()
21         Cork assorted box-wood         26(65%)         23(65%)         13(85%)         16(80%)           22         Cylinder and bucket         33(82.5%)         33(82.5%)         16(80%)         16(80%)           23         Capillary tubes length 140cm assorted         24(60%)         23(57.5%)         10(50%)         10(50%)           24         Calipers shding venire         30(75%)         30(75%)         12(60%)         12(60%)           25         Copper calorimeter         34(85%)         30(75%)         13(65%)         12(60%)           26         Compass plorting         11(17.5%)         18(45%)         54(25%)         42(20%)           26         Certhe wet type         23(55%)         12(55%)         10(50%)         10(50%)           30         Ne-F4 Alkaline         21(52.5%)         22(55%)         5(25%)         3(15%)           31         Declahe wet type         23(57.5%)         22(55%)         5(25%)         4(20%)           34         Dip cicele         11(27.5%)         11(75.5%)         11(5%)         11(5%)           34         Dip cicele         11(27.5%)         11(27.5%)         15%)         11(5%)           35         Denrecoles simple flat type (complete)         13(32.5%) </td <td></td> <td></td> <td></td> <td></td> <td>· · · /</td> <td></td>					· · · /	
22         Cylinder and bucket         33(82.5%)         33(82.5)         16(80%)           23         Capillary tubes length 140cm assorted         24(60%)         23(57.5%)         10(50%)           24         Calipers sliding venire         30(75%)         30(75%)         13(65%)         10(50%)           24         Compass marines         14(35%)         30(75%)         13(65%)         10(50%)           26         Coper calorimeter         34(85%)         30(75%)         18(45%)         52(5%)         52(5%)           27         Compass plotting         31(77.5%)         18(45%)         13(5%)         13(5%)           28         Crocodile clps         23(57.5%)         10(50%)         10(50%)         10(50%)           30         Ni-Fe Alkaline         21(52.5%)         10(50%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         10(50%)         10(50%)           32         Cork honers         20(50%)         22(55%)         10(50%)         10(50%)           33         Dig circle         11(27.5%)         10(57%)         11(5%)         11(5%)           34         Dig circle         11(27.5%)         10(50%)         10(50%)     <					· · · ·	
23         Capillary tubes length 140cm assorted bores         24(60%)         23(57.5%)         10(50%)         10(50%)           24         Calipers sliding venire         30(75%)         30(75%)         1260%)         12(60%)           25         Copper calorimeter         34(85%)         30(75%)         12(60%)         42(20%)           26         Compass plotting         31(77.5%)         18(45%)         52(5%)         52(5%)           28         Crocodile clps         36(90%)         32(80%)         110(50%)         110(50%)           29         Calls-Daniel complete         22(55%)         18(45%)         13(65%)         10(50%)           30         Ni-Fe Alkaline         21(52.5%)         22(55%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         42(20%)           34         Dip circle         11(27.5%)         11(5%)         11(5%)           35         Dip needles         14(35%)         11(27.5%)         10(5%)         11(5%)           35         Dip needles         14(35%)         11(27.5%)         10(5%)         3(15%)           36         Electric bell ars         20(50%)         10(5%)         3(15%)         3(15%)	-					
bores         bores         bores           24         Calipres sliding venire         30(75%)         30(75%)         12(60%)         12(60%)           25         Copper calorimeter         34(85%)         30(75%)         13(65%)         10(50%)           26         Compass mariners         14(35%)         14(35%)         5(25%)         5(25%)           27         Compass plotting         31(77.5%)         18(45%)         13(65%)         13(65%)           20         Cell-Daniel complete         22(55%)         18(45%)         13(65%)         13(65%)           30         Ni-Fe Alkaline         21(52.5%)         22(55%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         10(50%)         10(50%)           32         Cork boners         20(50%)         22(55%)         10(5%)         11(5%)           34         Dip circle         11(27.5%)         11(7.5%)         11(5%)         11(5%)           35         Dip needles         14(35%)         14(24%)         14(24%)         14(25%)         12(5%)         12(5%)           36         Electric bell jars         20(50%)         18(45%)         2(10%)         2(10%)         2(1						
24         Calipers sliding venire         30(75%)         30(75%)         12(60%)           25         Copper calorimeter         34(85%)         30(75%)         13(65%)         40(20%)           26         Compass plotting         31(77.5%)         18(45%)         44(20%)         4(20%)           27         Corocalic clips         31(77.5%)         18(45%)         4(20%)         17(5%)           28         Crocodilic clips         36(00%)         32(80%)         18(45%)         13(65%)           29         Cells-Daniel complete         21(55.5%)         22(55%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         42(20%)         42(20%)           32         Density bottles         31(77.5%)         30(75%)         4(20%)         44(20%)           34         Dip circle         11(27.5%)         11(75%)         11(5%)         11(5%)           35         Den neclles         14(35%)         14(45%)         4(20%)         42(20%)           36         Electric motor(1 watt)1.5-6v         20(50%)         13(15%)         3(15%)         3(15%)           36         Electric bells         18(45%)         14(20%)         42(20%)	23		24(60%)	23(57.5%)	10(50%)	10(50%)
25         Copper calorimeter         34(85%)         30(75%)         13(65%)         14(20%)           26         Compass plotting         31(77.5%)         18(45%)         5(25%)         5(25%)           28         Crocodile clips         36(90%)         32(80%)         18(90%)         31(65%)           28         Crocodile clips         36(90%)         32(80%)         18(65%)         13(65%)           30         Ni-Fe Alkaline         21(52.5%)         19(50%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         10(50%)         10(50%)           32         Cork boners         20(50%)         22(55%)         15(5%)         1(5%)           34         Dip circle         11(27.5%)         10(5%)         1(5%)         1(5%)           35         Dip necelles         14(35%)         11(27.5%)         1(5%)         1(5%)         1(5%)           36         Electric bells         18(45%)         18(45%)         4(20%)         4(20%)           37         Electric bells         20(50%)         18(45%)         10(5%)         1(5%)           38         Electric bell irs         20(50%)         18(45%)         14(80%)						
26         Compass matiners         14(35%)         14(35%)         4(20%)         4(20%)           27         Compass plotting         31(77.5%)         18(45%)         5(25%)         5(25%)           28         Crocodile clips         36(90%)         32(80%)         18(90%)         17(85%0)           29         Cells-Daniel complete         22(55%)         10(50%)         13(65%)         10(50%)           30         Ni-Fe Akkine         21(52.5%)         22(55%)         10(50%)         10(50%)           31         Density bottles         31(77.5%)         30(75%)         5(25%)         4(20%)           32         Density bottles         11(27.5%)         10(5%)         11(5%)         1(5%)           33         Density bottles         14(35%)         11(27.5%)         1(5%)         1(5%)           34         Dip circle         11(27.5%)         10(5%)         1(5%)         1(5%)           35         Dip needles         14(35%)         11(27.5%)         1(5%)         1(5%)           37         Electric hells         18(45%)         14(20%)         4(20%)         4(20%)           38         Electric hell jars         20(50%)         18(45%)         21(05%)         2(10%)	_	· · · · · · · · · · · · · · · · · · ·				
27         Compass plotting         31(77.5%)         18(45%)         5(25%)         5(25%)           28         Crocodile clips         36(90%)         32(80%)         18(90%)         17(85%)           29         Cells-Daniel complete         22(55%)         18(45%)         13(65%)         13(65%)           30         Ni-Fe Alkaline         21(52,5%)         22(55%)         10(50%)         10(50%)           31         Loclanche wet type         23(57,5%)         22(55%)         5(25%)         3(15%)           32         Cork boners         20(50%)         22(55%)         5(25%)         4(20%)           34         Dip circle         11(27,5%)         1(7,5%)         1(5%)         1(5%)           35         Dip needles         14(45%)         11(27,5%)         1(5%)         1(5%)           36         Electric bells         18(45%)         21(20%)         4(20%)         4(20%)           30         Electric bells         18(45%)         21(20%)         4(20%)         4(20%)           41         Fuir         5(12,5%)         10(5%)         11(5%)         11(5%)           31         Licit motor(1 watt)1.5-6v         20(50%)         12(5%)         11(5%)           42<	_					
28         Crocodile clips         36(90%)         32(80%)         18(90%)         17(85%0)           29         Cells-Daniel complete         22(55%)         18(45%)         13(65%)         13(65%)           30         Ni-Fe Alkaline         21(52.5%)         22(55%)         10(50%)         10(50%)           31         Leclanche wet type         23(57.5%)         22(55%)         5(25%)         3(15%)           32         Cork boners         20(50%)         22(55%)         5(25%)         4(20%)           34         Dip circle         11(27.5%)         1(5%)         1(5%)         1(5%)           35         Dip needles         14(35%)         11(27.5%)         1(5%)         4(20%)           36         Electric tric bells         18(45%)         4(20%)         4(20%)         4(20%)           38         Electric bell jars         20(50%)         20(50%)         3(15%)         1(5%)         1(5%)           40         Electric hell jars         20(50%)         10(25%)         10(5%)         1(5%)           41         Fur         5(12.5%)         10(25%)         10(5%)         10(5%)           43         Fluid pressure apparatus         11(27.5%)         10(5%)         10(5%)					· · ·	
29         Cells-Daniel complete         22(55%)         18(45%)         13(65%)         13(65%)           30         Ni-Fe Alkaline         21(52.5%)         22(55%)         10(50%)         10(50%)           31         Leclanche weitype         23(57.5%)         22(55%)         5(25%)         4(20%)           32         Corki boners         20(50%)         22(55%)         5(25%)         4(20%)           33         Density bottles         11(77.5%)         30(75%)         5(25%)         4(20%)           34         Dip circle         11(27.5%)         1(75%)         1(5%)         4(20%)           35         Dip needles         14(35%)         11(27.5%)         1(5%)         4(20%)           37         Electric bells         18(45%)         18(45%)         4(20%)         4(20%)           39         Electric bell jars         20(50%)         18(45%)         2(10%)         2(10%)           41         Fur         5(12.5%)         14(25%)         10(25%)         1(5%)         1(5%)           42         Flame spectra kit         10(25%)         10(25%)         10(50%)         10(50%)           43         Fluid pressure apparatus         11(27.5%)         10(25%)         10(50%)	_					
30         Ni-Fe Alkaline         21(52,5%)         22(55%)         10(50%)           31         Leclanche wet type         23(57,5%)         22(55%)         52(5%)         31(5%)           32         Cork boners         20(50%)         22(55%)         52(5%)         31(5%)           33         Density bottles         31(77,5%)         30(75%)         52(5%)         1(5%)           34         Dip circle         11(27,5%)         7(17,5%)         1(5%)         1(5%)           35         Dip needles         14(45%)         14(45%)         14(45%)         14(5%)           37         Electric bells         18(45%)         14(45%)         4(20%)         4(20%)           38         Electric bells         18(45%)         14(45%)         4(20%)         4(20%)           40         Electric bell ars         10(25%)         10(5%)         1(5%)         1(5%)           41         Fur         5(125%)         4(20%)         4(20%)         4(20%)           42         Flame spectra kit         10(25%)         10(5%)         10(5%)         10(5%)           44         Glass tubes claim         12(30%)         10(25%)         10(5%)         10(5%)           44         Gla		*				
11         Leclanche wet type $23(57.5\%)$ $22(55\%)$ $10(50\%)$ $310(75\%)$ $32(5\%)$ $310(75\%)$ $32(5\%)$ $32(25\%)$ $3(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $32(25\%)$ $31(25\%)$ 34         Dip circle $11(27.5\%)$ $11(27.5\%)$ $11(5\%)$ $11(5\%)$ $11(5\%)$ 35         Dip needles $144(35\%)$ $11(27.5\%)$ $11(5\%)$ $1(5\%)$ 36         Electric bells $18(45\%)$ $12(25\%)$ $42(20\%)$ $42(0\%)$ 40         Electric bell jars $20(50\%)$ $20(50\%)$ $21(5\%)$ $42(0\%)$ 41         Fune spectra kit $10(25\%)$ $10(25\%)$ $10(50\%)$ $10(5\%)$ 42         Flame spectra kit $10(25\%)$ $10(50\%)$ $10(5\%)$ $10(5\%)$ 43         Fluid pressure apparatus $11(27.5\%)$ $10(50\%)$ $10(50\%)$ $10(5\%)$ 44         Glass tubes claim $22(30\%)$ $20(50\%)$ $10(50\%)$	_					
32         Cork boners         20(50%) $22(55\%)$ $5(25\%)$ $4(20\%)$ 33         Density bottles $31(77.5\%)$ $30(75\%)$ $5(25\%)$ $4(20\%)$ 34         Dip needles $11(27.5\%)$ $1(77.5\%)$ $1(5\%)$ $1(5\%)$ 35         Dip needles $14(35\%)$ $11(27.5\%)$ $1(5\%)$ $1(5\%)$ 37         Electric oscope simple flat type (complete) $13(32.5\%)$ $11(27.5\%)$ $1(5\%)$ $1(5\%)$ 38         Electric notor(1 watt) 1.5-6v $20(50\%)$ $18(45\%)$ $2(10\%)$ $3(15\%)$ $3(15\%)$ 40         Electric bell jars $20(50\%)$ $18(45\%)$ $2(10\%)$ $2(10\%)$ 41         Fuir pressure apparatus $11(27.5\%)$ $10(25\%)$ $1(5\%)$ $1(5\%)$ 44         Glass semi-circular block $20(50\%)$ $10(50\%)$ $10(5\%)$ $10(5\%)$ 44         Glass cube hallow $7(17.5\%)$ $4(10\%)$ $3(15\%)$ $3(15\%)$ 45         Glass cube hallow $7(17.5\%)$ $4(10\%)$ $3(15\%)$ $11(55\%)$						
33         Density bottles $31(77.5\%)$ $30(75\%)$ $5(25\%)$ $4(20\%)$ 34         Dip circle $11(27.5\%)$ $7(17.5\%)$ $1(5\%)$ $1(5\%)$ 37         Electroscope simple flat type (complete) $13(32.5\%)$ $11(27.5\%)$ $1(5\%)$ $4(20\%)$ 38         Electric bells $18(45\%)$ $18(45\%)$ $4(20\%)$ $4(20\%)$ 40         Electric motor(1 watt) 1.5-6v $20(50\%)$ $20(50\%)$ $21(5\%)$ $2(10\%)$ 41         Fur $5(12.5\%)$ $6(15\%)$ $1(5\%)$ $1(5\%)$ 42         Flame spectra kit $10(25\%)$ $10(25\%)$ $10(5\%)$ $10(5\%)$ 43         Fluid pressure apparatus $11(27.5\%)$ $10(25\%)$ $10(5\%)$ $10(5\%)$ 44         Glass prism $26(65\%)$ $22(62.5\%)$ $14(20\%)$ $14(20\%)$ 45         Glass rods $23(75.5\%)$ $23(75.5\%)$ $11(55\%)$ $11(55\%)$ 46         Glass rods $23(75.5\%)$ $33(82.5\%)$ $10(50\%)$ $11(55\%)$ 47         Glas						
34         Dip circle $11(27.5\%)$ $1(5\%)$ $1(5\%)$ $1(5\%)$ 35         Dip needles $14(35\%)$ $11(27.5\%)$ $1(5\%)$ $1(5\%)$ 37         Electroscope simple flat type (complete) $13(22.5\%)$ $11(27.5\%)$ $1(5\%)$ $1(5\%)$ 38         Electric notor(1 watt) $1.5-6v$ $20(50\%)$ $20(50\%)$ $3(15\%)$ $3(15\%)$ 40         Electric bell jars $20(50\%)$ $10(25\%)$ $1(5\%)$ $1(5\%)$ 41         Fur $5(12.5\%)$ $6(15\%)$ $1(5\%)$ $1(5\%)$ 42         Flame spectra kit $10(25\%)$ $10(25\%)$ $10(50\%)$ $10(5\%)$ 43         Glass tubes claim $12(30\%)$ $10(25\%)$ $10(50\%)$ $11(5\%)$ 44         Glass send-clain $20(50\%)$ $20(50\%)$ $11(55\%)$ $10(50\%)$ 45         Glass send-clain $20(50\%)$ $21(50\%)$ $11(55\%)$ $11(55\%)$ 46         Glass send-clain $23(57.5\%)$ $24(50\%)$ $31(5\%)$ $31(5\%)$ 47         Glass send						
35         Dip needles         14(35%)         11(27.5%)         1(5%)         1(5%)           37         Electroscope simple flat type (complete)         13(32.5%)         11(27.5%)         1(5%)         1(5%)           38         Electric bells         18(45%)         20(50%)         3(15%)         3(15%)           39         Electric bell jars         20(50%)         18(45%)         2(10%)         2(10%)           40         Electric bell jars         20(50%)         18(45%)         2(10%)         2(10%)           41         Fur         5(12.5%)         6(15%)         1(5%)         1(5%)           42         Flame spectra kit         10(25%)         10(25%)         10(50%)         10(50%)           44         Glass tubes claim         12(30%)         10(25%)         10(50%)         10(50%)           45         Glass cube hallow         7(17.5%)         23(57.5%)         14(80%)         14(80%)           47         Glass cube hallow         7(17.5%)         23(57.5%)         11(55%)         10(50%)           48         Glass rods         23(57.5%)         23(57.5%)         11(55%)         11(55%)           50         Glass block roctagle         39(97.5%)         33(82.5%)         16(					· · ·	
37         Electroscope simple flat type (complete) $13(32.5\%)$ $11(27.5\%)$ $1(5\%)$ $1(5\%)$ 38         Electric bells $18(45\%)$ $4(20\%)$ $4(20\%)$ 39         Electric notor(1 watt).5-6v $20(50\%)$ $18(45\%)$ $2(10\%)$ $2(10\%)$ 40         Electric bell jars $20(50\%)$ $18(45\%)$ $2(10\%)$ $2(10\%)$ 41         Fur $5(12.5\%)$ $6(15\%)$ $1(5\%)$ $1(5\%)$ 42         Flame spectra kit $10(25\%)$ $10(25\%)$ $10(5\%)$ $10(5\%)$ 43         Glass tubes claim $12(30\%)$ $10(25\%)$ $10(5\%)$ $10(5\%)$ 44         Glass prism $26(65\%)$ $23(57.5\%)$ $11(55\%)$ $10(50\%)$ 45         Glass cods $23(57.5\%)$ $41(95\%)$ $11(55\%)$ $11(55\%)$ 46         Glass cods $23(57.5\%)$ $41(80\%)$ $11(55\%)$ $11(55\%)$ 49         Galvanometer $28(70\%)$ $28(70\%)$ $16(80\%)$ $15(75\%)$ 50         Glass block rectangle $39($			· · · · · ·			
38         Electric bells         18(45%)         18(45%)         4(20%)         4(20%)           39         Electric bell jars         20(50%)         20(50%)         3(15%)         3(15%)           40         Electric bell jars         20(50%)         18(45%)         1(0%)         2(10%)           41         Fur $5(12.5\%)$ $6(15\%)$ 1(5%)         1(5%)           41         Fur $5(12.5\%)$ $6(15\%)$ 1(5%)         1(5%)           42         Flain spectra kit $10(22\%)$ $10(25\%)$ 10(50%)         10(50%)           43         Fulia pressure apparatus $11(27.5\%)$ $10(25\%)$ $10(50\%)$ 10(50%)           44         Glass tubes claim $26(65\%)$ $25(05\%)$ $14(80\%)$ $14(80\%)$ 46         Glass semi-circular block $20(50\%)$ $20(50\%)$ $11(55\%)$ $10(55\%)$ 47         Glass cube hallow $7(17.5\%)$ $4(10\%)$ $3(15\%)$ $3(15\%)$ 48         Glass nots $23(75.5\%)$ $33(82.5\%)$ $16(80\%)$ $16(50\%)$ 50         Glass block rectangle $39(7.5\%)$ $34$		*				
39Electric bell jars20(50%)20(50%)3(15%)3(15%)40Electric bell jars20(50%)18(45%)2(10%)2(10%)41Fur5(12.5%)6(15%)1(5%)1(5%)42Flame spectra kit10(25%)10(25%)1(5%)1(5%)43Fluid pressure apparatus11(27.5%)10(25%)10(50%)10(50%)44Glass tubes claim12(30%)10 (25%)10(50%)10(50%)45Glass semi-circular block20(50%)20(50%)11(55%)11(55%)46Glass cube hallow7(17.5%)4(10%)3(15%)3(15%)47Glass cube hallow7(17.5%)23(57.5%)11(55%)11(55%)48Glass rods23(57.5%)23(57.5%)11(55%)11(55%)49Galvanometer28(70%)28(70%)16(80%)15(75%)50Glass block rectangle39(75%)33(82.5%)16(80%)11(55%)51Hydrometer range21(52.5%)6(15%)5(25%)4(20%)52Hydrometer accumulator16(40%)8(20%)4(20%)4(20%)54Hare 's apparatus12(30%)7(17.5%)12(60%)1(5%)55Hypsometer12(30%)7(17.5%)12(4%)2(4%)56Hope 's apparatus12(30%)7(17.5%)12(5%)14(70%)59Induction coil model22(55%)22(55%)14(70%)13(5%)59Induction coil model22(55%)22(5%) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
40Electric bell jars20(50%)18(45%)2(10%)2(10%)41Fur5(12.5%)6(15%)11(5%)11(5%)42Flame spectra kit10(25%)10(25%)5(25%)4(20%)43Fluid pressure apparatus11(27.5%)10(25%)10(50%)10(50%)44Glass tubes claim12(30%)1010(25%)11(5%)10(50%)45Glass prism26(65%)20(50%)11(55%)110(50%)46Glass semi-circular block20(50%)20(50%)11(55%)110(50%)47Glass cub hallow7(17.5%)4(10%)3(15%)3(15%)49Galvanometer28(70%)28(70%)16(80%)15(57%)50Glass block rectangle39(97.5%)33(82.5%)16(80%)11(55%)51Hydrometer range21(52.5%)18(45%)12(60%)11(55%)52Hydrometer accumulator16(40%)8(20%)4(20%)4(20%)54Hare 's apparatus14(35%)8(20%)2(4%)1(5%)55Hypsometer12(30%)7(17.5%)2(4%)2(4%)56Hope's apparatus12(30%)2(65%)15(75%)14(70%)57Inclined plane and friction board26(65%)26(65%)15(75%)14(70%)58Iron U-bend for electromagnet30(75%)30(75%)3(15%)2(4%)59Induction coil model22(55%)3(25%)4(20%)60Iron U-bend for electromagnet						
41         Fur $5(12.5\%)$ $6(15\%)$ $1(5\%)$ $1(5\%)$ 42         Fluid pressure apparatus $10(25\%)$ $10(25\%)$ $10(5\%)$ $41(5\%)$ 43         Fluid pressure apparatus $11(27.5\%)$ $10(25\%)$ $10(5\%)$ $10(5\%)$ 44         Glass tubes claim $12(30\%)$ $10(25\%)$ $10(50\%)$ $10(50\%)$ 45         Glass semi-circular block $20(50\%)$ $22(57.5\%)$ $14(80\%)$ $41(80\%)$ 46         Glass cube hallow $7(17.5\%)$ $41(0\%)$ $31(5\%)$ $31(5\%)$ 47         Glass cube hallow $7(17.5\%)$ $40(0\%)$ $31(5\%)$ $31(5\%)$ 48         Glass cube hallow $7(17.5\%)$ $23(57.5\%)$ $12(60\%)$ $11(55\%)$ 50         Glass block rectangle $39(97.5\%)$ $33(82.5\%)$ $16(80\%)$ $15(5\%)$ 51         Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $1(5\%)$ 52         Hydramic pressure demonstrator type $21(52.5\%)$ $4(20\%)$ $1(5\%)$ 54 <td< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td></td<>	_					
42Flame spectra kit $10(25\%)$ $10(25\%)$ $5(25\%)$ $4(20\%)$ 43Fluid pressure apparatus $11(27.5\%)$ $10(25\%)$ $10(50\%)$ $10(50\%)$ 44Glass tubes claim $12(30\%)$ $10(25\%)$ $10(50\%)$ $10(50\%)$ 45Glass perism $26(65\%)$ $25(62.5\%)$ $14(80\%)$ $14(80\%)$ 46Glass semi-circular block $20(50\%)$ $20(50\%)$ $31(15\%)$ $31(5\%)$ 47Glass cube hallow $7(17.5\%)$ $4(10\%)$ $31(15\%)$ $31(5\%)$ 48Glass rods $23(57.5\%)$ $23(57.5\%)$ $11(55\%)$ $11(55\%)$ 49Galvanometer $28(70\%)$ $28(70\%)$ $16(80\%)$ $15(75\%)$ 50Glass block rectangle $39(97.5\%)$ $33(82.5\%)$ $12(60\%)$ $11(55\%)$ 51Hydrometer arage $21(52.5\%)$ $8(15\%)$ $12(60\%)$ $11(55\%)$ 52Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $2(4\%)$ 55Hypsometer $12(30\%)$ $6(17.5\%)$ $10(50\%)$ $10(5\%)$ 56Hope 's apparatus $12(30\%)$ $6(17.5\%)$ $10(5\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $30(75\%)$ $4(20\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $4(20\%)$ 60Iron U-		5				
43         Fluid pressure apparatus         11(27.5%)         10(25%)         1(5%)         1(5%)           44         Glass tubes claim         12(30%)         10(25%)         10(50%)         10(50%)           45         Glass semi-circular block         20(50%)         20(50%)         11(55%)         10(50%)           46         Glass semi-circular block         20(50%)         20(50%)         11(55%)         11(55%)           47         Glass cube hallow         7(17.5%)         4(10%)         3(15%)         3(15%)           48         Glass rods         23(57.5%)         23(57.5%)         16(80%)         15(75%)           50         Glass block rectangle         39(97.5%)         33(82.5%)         16(80%)         16(80%)           51         Hydrometer accumulator         16(40%)         8(20%)         12(60%)         11(55%)           52         Hydrameter accumulator         16(40%)         8(20%)         2(4%)         1(5%)           53         Hydrometer accumulator         12(30%)         7(17.5%)         2(4%)         1(5%)           54         Hare 's apparatus         12(30%)         7(17.5%)         2(4%)         1(5%)           55         Hypsometer         12(30%)         7(17.5%)<						
44Glass tubes claim12(30%)10(25%)10(50%)10(50%)45Glass prism26(65%)25(62.5%)14(80%)46Glass cube hallow20(50%)20(50%)11(55%)3(15%)47Glass cube hallow7(17.5%)4(10%)3(15%)3(15%)48Glass rods23(57.5%)23(57.5%)11(55%)11(55%)49Galvanometer28(70%)28(70%)16(80%)15(75%)50Glass block rectangle39(97.5%)33(82.5%)16(80%)16(80%)51Hydrometer range21(52.5%)18(45%)12(60%)11(55%)52Hydrometer accumulator16(40%)8(20%)4(20%)4(20%)53Hydrometer accumulator16(40%)8(20%)4(20%)1(5%)54Hare's apparatus14(35%)8(20%)2(4%)1(5%)55Hypsometer12(30%)7(17.5%)2(4%)1(5%)56Hope's apparatus12(30%)2(65%)15(75%)14(70%)57Inclined plane and friction board26(65%)26(65%)15(75%)14(70%)58Iron filing (fine)33(82.5%)31(77.5%)30(75%)3(15%)2(4%)60Iron U-bend for electromagnet30(75%)30(75%)3(15%)2(4%)61Jockeys34(85%)34(85%)12(60%)6(30%)62Knift edges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%) <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
45Glass prism $26(65\%)$ $25(62.5\%)$ $14(80\%)$ $14(80\%)$ 46Glass semi-circular block $20(50\%)$ $20(50\%)$ $11(55\%)$ $10(50\%)$ 47Glass cube hallow $7(17.5\%)$ $4(10\%)$ $3(15\%)$ $3(15\%)$ 48Glass rods $23(57.5\%)$ $23(57.5\%)$ $11(55\%)$ $11(55\%)$ 49Galvanometer $28(70\%)$ $28(70\%)$ $16(80\%)$ $15(75\%)$ 50Glass block rectangle $39(97.5\%)$ $33(82.5\%)$ $16(80\%)$ $16(80\%)$ 51Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 52Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare 's apparatus $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $14(70\%)$ 56Hope 's apparatus $12(30\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $32(55\%)$ $4(20\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $12(60\%)$ $6(30\%)$ 62Knife edges $31(77.5\%)$ $30(75\%)$ $3(15\%)$ $2(4\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $11(55\%)$ $11(55\%)$ 64Knifting needle<						
46         Glass semi-circular block         20(50%)         20(50%)         11(55%)         10(50%)           47         Glass cube hallow         7(17.5%)         4(10%)         3(15%)         3(15%)           48         Glass rods         23(57.5%)         23(57.5%)         11(55%)         11(55%)           49         Galvanometer         28(70%)         28(70%)         16(80%)         15(75%)           50         Glass block rectangle         39(97.5%)         33(82.5%)         16(80%)         11(55%)           51         Hydrometer range         21(52.5%)         18(45%)         12(60%)         11(55%)           52         Hydrometer accumulator         16(40%)         8(20%)         2(4%)         4(20%)           53         Hydrometer accumulator         12(30%)         8(15%)         12(5%)         4(20%)           54         Hare's apparatus         12(30%)         6(17.5%)         14(7%)         15%)           55         Hypsometer         12(30%)         26(65%)         12(5%)         14(70%)           56         Hope's apparatus         12(30%)         26(5%)         15(75%)         14(70%)           57         Inclined fine         33(82.5%)         31(77.5%)         10(50%)<						
47Glass cube hallow $7(17.5\%)$ $4(10\%)$ $3(15\%)$ $3(15\%)$ 48Glass rods $23(57.5\%)$ $23(57.5\%)$ $11(55\%)$ $11(55\%)$ 49Galvanometer $28(70\%)$ $28(70\%)$ $16(80\%)$ $15(75\%)$ 50Glass block rectangle $39(97.5\%)$ $33(82.5\%)$ $16(80\%)$ $16(80\%)$ 51Hydrometer range $21(52.5\%)$ $18(45\%)$ $12(60\%)$ $11(55\%)$ 52Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $1(5\%)$ 56Hope 's apparatus $12(30\%)$ $6(17.5\%)$ $10(50\%)$ $10(5\%)$ 57Inclined plane and friction board $26(65\%)$ $22(55\%)$ $4(20\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $32(55\%)$ $3(15\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $31(65\%)$ $2(4\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $11(55\%)$ $11(55\%)$ 64Knitting needle $16(40\%)$ $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion appar						
48Glass rods23(57.5%)23(57.5%)11(55%)11(55%)49Galvanometer28(70%)28(70%)16(80%)15(75%)50Glass block rectangle39(97.5%)33(82.5%)16(80%)16(80%)51Hydrometer accumulator16(40%)8(20%)4(20%)4(20%)52Hydraulic pressure demonstrator type21(52.5%)6(15%)5(25%)4(20%)53Hydraulic pressure demonstrator type21(52.5%)6(15%)5(25%)4(20%)54Hare 's apparatus14(35%)8(20%)2(4%)1(5%)55Hypsometer12(30%)7(17.5%)2(4%)2(4%)56Hope 's apparatus12(30%)6(17.5%)11(5%)11(5%)57Inclined plane and friction board26(65%)26(65%)15(75%)14(70%)58Iron filing (fine)33(82.5%)31(77.5%)10(50%)10(50%)59Induction coil model22(55%)22(55%)5(25%)4(20%)60Iron U-bend for electromagnet30(75%)30(75%)31(5%)2(4%)61Jockeys34(85%)34(85%)34(85%)3(15%)2(4%)62Knifte dges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%)18(45%)3(15%)3(15%)64Knitting needle16(40%)16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66				· · · ·		
49Galvanometer $28(70\%)$ $16(80\%)$ $15(75\%)$ 50Glass block rectangle $39(97.5\%)$ $33(82.5\%)$ $16(80\%)$ $16(80\%)$ 51Hydrometer range $21(52.5\%)$ $18(45\%)$ $12(60\%)$ $11(55\%)$ 52Hydraulic pressure demonstrator type $21(52.5\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare 's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $7(17.5\%)$ $2(4\%)$ $2(4\%)$ 56Hope 's apparatus $12(30\%)$ $6(17.5\%)$ $12(5\%)$ $14(70\%)$ 57Inclined plane and friction board $26(65\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(25\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 60Iron U-bend for electromagnet $30(75\%)$ $30(75\%)$ $3(15\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $31(5\%)$ $2(4\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $3(15\%)$ $2(4\%)$ 64Kniiting needle $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion apparatus $13(32.5\%)$ $31(77.5\%)$ $14(70\%)$ $13(65\%)$ 67 <t< td=""><td>_</td><td></td><td></td><td>· · · · ·</td><td></td><td></td></t<>	_			· · · · ·		
50         Glass block rectangle         39(97.5%)         33(82.5%)         16(80%)         16(80%)           51         Hydrometer range         21(52.5%)         18(45%)         12(60%)         11(55%)           52         Hydrometer accumulator         16(40%)         8(20%)         4(20%)         4(20%)           53         Hydrometer accumulator         16(40%)         8(20%)         2(4%)         1(5%)           54         Hare 's apparatus         12(30%)         7(17.5%)         2(4%)         2(4%)           55         Hypsometer         12(30%)         6(17.5%)         1(5%)         1(5%)           57         Inclined plane and friction board         26(65%)         26(65%)         15(75%)         14(70%)           58         Iron filing (fine)         33(82.5%)         31(77.5%)         10(50%)         10(50%)           59         Induction coil model         22(55%)         22(5%)         3(15%)         2(4%)           61         Jockeys         34(85%)         34(85%)         12(60%)         6(30%)           62         Knife edges         31(77.5%)         30(75%)         14(70%)         13(65%)           63         Kinetic theory model kit         18(45%)         3(15%)	-					
51Hydrometer range $21(52.5\%)$ $18(45\%)$ $12(60\%)$ $11(55\%)$ 52Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare 's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $7(17.5\%)$ $2(4\%)$ $2(4\%)$ 56Hope 's apparatus $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $1(5\%)$ 57Inclined plane and friction board $26(65\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 60Iron U-bend for electromagnet $30(75\%)$ $30(75\%)$ $31(5\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $31(15\%)$ $2(4\%)$ 62Knife edges $31(77.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 63Kinetic theory model kit $18(45\%)$ $13(45\%)$ $11(55\%)$ $11(55\%)$ 64Linear expansion apparatus $13(32.5\%)$ $11(27.5\%)$ $10(50\%)$ $10(50\%)$ 65Ley plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(70\%)$ 66Linear expansion apparatus $13(32.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 67Leslie cube $12(30\%)$ $80(75\%)$ $30(75\%)$ $14(70\%)$ <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td>	-					
52Hydrometer accumulator $16(40\%)$ $8(20\%)$ $4(20\%)$ $4(20\%)$ 53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $7(17.5\%)$ $2(4\%)$ $2(4\%)$ 56Hope's apparatus $12(30\%)$ $6(17.5\%)$ $14(70\%)$ $1(5\%)$ 57Inclined plane and friction board $26(65\%)$ $25(55\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 60Iron U-bend for electromagnet $30(75\%)$ $30(75\%)$ $31(5\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $12(60\%)$ $6(30\%)$ 62Knite deges $31(77.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $3(15\%)$ $2(4\%)$ 64Knitting needle $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion apparatus $13(32.5\%)$ $11(27.5\%)$ $10(50\%)$ $3(15\%)$ 68Lense double concave $30(75\%)$ $30(75\%)$ $14(70\%)$ $14(70\%)$ 70Lesi cube $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $14(70\%)$ 71Leyden						
53Hydraulic pressure demonstrator type $21(52.5\%)$ $6(15\%)$ $5(25\%)$ $4(20\%)$ 54Hare 's apparatus $14(35\%)$ $8(20\%)$ $2(4\%)$ $1(5\%)$ 55Hypsometer $12(30\%)$ $7(17.5\%)$ $2(4\%)$ $2(4\%)$ 56Hope 's apparatus $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $1(5\%)$ 57Inclined plane and friction board $26(65\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $21(75.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 61Jockeys $34(85\%)$ $30(75\%)$ $31(75\%)$ $10(50\%)$ $6(30\%)$ 62Knife edges $31(77.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $14(70\%)$ $13(65\%)$ 64Knitting needle $16(40\%)$ $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion apparatus $13(32.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 67Leslie cube $12(30\%)$ $8(20\%)$ $3(15\%)$ $3(15\%)$ 68Lenses double convex $35(87.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 70Lens holder wooden $33(82.5\%)$ $31(77.5\%)$ $14(70\%)$ $13(65\%)$ 71Leyden jar $7(17.5\%)$ $16(15\%)$ $4(20\%)$ $4(20\%)$ <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td></tr<>						
54         Hare 's apparatus         14(35%)         8(20%)         2(4%)         1(5%)           55         Hypsometer         12(30%)         7(17.5%)         2(4%)         2(4%)           56         Hope 's apparatus         12(30%)         6(17.5%)         1(5%)         1(5%)           57         Inclined plane and friction board         26(65%)         26(65%)         15(75%)         14(70%)           58         Iron filing (fine)         33(82.5%)         31(77.5%)         10(50%)         10(50%)           59         Induction coil model         22(55%)         22(55%)         5(25%)         4(20%)           60         Iron U-bend for electromagnet         30(75%)         30(75%)         31(5%)         2(4%)           61         Jockeys         34(85%)         34(85%)         14(70%)         13(65%)           62         Knife edges         31(77.5%)         30(75%)         14(70%)         13(65%)           63         Kinetic theory model kit         18(45%)         18(45%)         11(55%)         11(55%)           64         Knitting needle         16(40%)         10(50%)         6(30%)         11(55%)           65         Key plugs         40(100%)         38(25%)         31(5%) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
55Hypsometer $12(30\%)$ $7(17.5\%)$ $2(4\%)$ $2(4\%)$ 56Hope's apparatus $12(30\%)$ $6(17.5\%)$ $1(5\%)$ $1(5\%)$ 57Inclined plane and friction board $26(65\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 60Iron U-bend for electromagnet $30(75\%)$ $30(75\%)$ $3(15\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $12(60\%)$ $6(30\%)$ 62Knife edges $31(77.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $31(5\%)$ $2(4\%)$ 64Knitting needle $16(40\%)$ $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion apparatus $13(32.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 67Leslie cube $12(30\%)$ $8(20\%)$ $3(15\%)$ $3(15\%)$ 68Lenses double convex $35(87.5\%)$ $30(75\%)$ $14(70\%)$ $14(70\%)$ 70Lens holder wooden $33(82.5\%)$ $31(77.5\%)$ $14(70\%)$ $13(65\%)$ 71Leyden jar $7(17.5\%)$ $16(15\%)$ $4(20\%)$ $10(50\%)$ 73Material kit(solid in rectangle blocks) $21(52.5\%)$ $20(50\%)$ $10(50\%)$ $10(50\%)$ <tr<< td=""><td>-</td><td>* *</td><td></td><td></td><td></td><td></td></tr<<>	-	* *				
56         Hope 's apparatus         12(30%)         6(17.5%)         1(5%)         1(5%)           57         Inclined plane and friction board         26(65%)         26(65%)         15(75%)         14(70%)           58         Iron filing (fine)         33(82.5%)         31(77.5%)         10(50%)         10(50%)           59         Induction coil model         22(55%)         22(55%)         5(25%)         4(20%           60         Iron U-bend for electromagnet         30(75%)         30(75%)         3(15%)         2(4%)           61         Jockeys         34(85%)         34(85%)         12(60%)         6(30%)           62         Knife edges         31(77.5%)         30(75%)         14(70%)         13(65%)           63         Kinetic theory model kit         18(45%)         18(45%)         3(15%)         2(4%)           64         Knitting needle         16(40%)         16(40%)         10(50%)         6(30%)           65         Key plugs         40(100%)         38(95%)         11(55%)         11(55%)           66         Linear expansion apparatus         13(32.5%)         11(27.5%)         10(50%)         6(30%)           67         Leslie cube         12(30%)         8(20%)						
57Inclined plane and friction board $26(65\%)$ $26(65\%)$ $15(75\%)$ $14(70\%)$ 58Iron filing (fine) $33(82.5\%)$ $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 59Induction coil model $22(55\%)$ $22(55\%)$ $5(25\%)$ $4(20\%)$ 60Iron U-bend for electromagnet $30(75\%)$ $30(75\%)$ $3(15\%)$ $2(4\%)$ 61Jockeys $34(85\%)$ $34(85\%)$ $12(60\%)$ $6(30\%)$ 62Knife edges $31(77.5\%)$ $30(75\%)$ $14(70\%)$ $13(65\%)$ 63Kinetic theory model kit $18(45\%)$ $18(45\%)$ $3(15\%)$ $2(4\%)$ 64Knitting needle $16(40\%)$ $10(50\%)$ $6(30\%)$ 65Key plugs $40(100\%)$ $38(95\%)$ $11(55\%)$ $11(55\%)$ 66Linear expansion apparatus $13(32.5\%)$ $11(27.5\%)$ $10(50\%)$ $10(50\%)$ 67Leslie cube $12(30\%)$ $8(20\%)$ $3(15\%)$ $3(15\%)$ 68Lenses double convex $35(87.5\%)$ $30(75\%)$ $14(70\%)$ $14(70\%)$ 69Double concave $30(75\%)$ $31(77.5\%)$ $14(70\%)$ $13(65\%)$ 71Leyden jar $7(17.5\%)$ $16(15\%)$ $4(20\%)$ $4(20\%)$ 72Micrometer screw gauge $31(77.5\%)$ $10(50\%)$ $10(50\%)$ 73Material kit(solid in rectangle blocks) $21(52.5\%)$ $20(50\%)$ $10(50\%)$ $10(50\%)$ 74Magnet rectangle $60x15x5mm$ $18(45\%)$ $17(42.5\%)$ $10(50\%)$ $5(25\%)$ 76 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
58Iron filing (fine)33(82.5%)31(77.5%)10(50%)10(50%)59Induction coil model22(55%)22(55%)5(25%)4(20%60Iron U-bend for electromagnet30(75%)30(75%)3(15%)2(4%)61Jockeys34(85%)34(85%)12(60%)6(30%)62Knife edges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%)18(45%)3(15%)2(4%)64Knitting needle16(40%)16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)14(70%)13(65%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)30(75%)14(70%)13(65%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)44(35%)10(50%)5(25%)76Magne		1 11	· · · ·			
59       Induction coil model       22(55%)       22(55%)       5(25%)       4(20%         60       Iron U-bend for electromagnet       30(75%)       30(75%)       3(15%)       2(4%)         61       Jockeys       34(85%)       34(85%)       12(60%)       6(30%)         62       Knife edges       31(77.5%)       30(75%)       14(70%)       13(65%)         63       Kinetic theory model kit       18(45%)       18(45%)       3(15%)       2(4%)         64       Knitting needle       16(40%)       10(50%)       6(30%)         65       Key plugs       40(100%)       38(95%)       11(55%)       11(55%)         66       Linear expansion apparatus       13(32.5%)       11(27.5%)       10(50%)       10(50%)         67       Leslie cube       12(30%)       8(20%)       3(15%)       3(15%)         68       Lenses double convex       35(87.5%)       30(75%)       14(70%)       14(70%)         69       Double concave       30(75%)       31(77.5%)       16(80%)       14(70%)         70       Lens holder wooden       33(82.5%)       31(77.5%)       14(70%)       13(65%)         71       Leyden jar       7(17.5%)       16(15%)       4(	-					
60Iron U-bend for electromagnet30(75%)30(75%)3(15%)2(4%)61Jockeys34(85%)34(85%)12(60%)6(30%)62Knife edges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%)18(45%)3(15%)2(4%)64Knitting needle16(40%)16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)14(70%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)20(50%)10(50%)10(50%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%) <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
61Jockeys34(85%)34(85%)12(60%)6(30%)62Knife edges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%)18(45%)3(15%)2(4%)64Knitting needle16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)20(50%)10(50%)10(50%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
62Knife edges31(77.5%)30(75%)14(70%)13(65%)63Kinetic theory model kit18(45%)18(45%)3(15%)2(4%)64Knitting needle16(40%)16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)20(50%)10(50%)10(50%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)		<u> </u>				
63Kinetic theory model kit18(45%)18(45%)3(15%)2(4%)64Knitting needle16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
64Knitting needle16(40%)16(40%)10(50%)6(30%)65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)	-					
65Key plugs40(100%)38(95%)11(55%)11(55%)66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
66Linear expansion apparatus13(32.5%)11(27.5%)10(50%)10(50%)67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)	-				· · · ·	
67Leslie cube12(30%)8(20%)3(15%)3(15%)68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)					· · · ·	
68Lenses double convex35(87.5%)30(75%)14(70%)14(70%)69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
69Double concave30(75%)30(75%)16(80%)14(70%)70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
70Lens holder wooden33(82.5%)31(77.5%)14(70%)13(65%)71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
71Leyden jar7(17.5%)16(15%)4(20%)4(20%)72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)	-					
72Micrometer screw gauge31(77.5%)30(75%)14(70%)13(65%)73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)	-					
73Material kit(solid in rectangle blocks)21(52.5%)20(50%)10(50%)10(50%)74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
74Magnet rectangle 60x15x5mm18(45%)17(42.5%)11(55%)10(50%)75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)	-	Micrometer screw gauge				
75Horse shoe15(37.5%)14(35%)10(50%)5(25%)76Magnetizing and demagnetizing coil9(22.5%)9(22.5%)5(25%)4(20%)77Magnetic needles with stands14(35%)10(25%)10(50%)5(25%)						
76         Magnetizing and demagnetizing coil         9(22.5%)         9(22.5%)         5(25%)         4(20%)           77         Magnetic needles with stands         14(35%)         10(25%)         10(50%)         5(25%)	-					
77         Magnetic needles with stands         14(35%)         10(25%)         10(50%)         5(25%)	-					
78         Meter bridge         33(82.5%)         33(82.5%)         14(70%)         13(65%)						
	78	Meter bridge	33(82.5%)	33(82.5%)	14(70%)	13(65%)

# Assessment of Resources for Physics Teaching in Nigerian Senior Secondary Schools

		1	1	ľ	
79	Measuring cylinders 100ml	34(85%)	34(85%)	16(80%)	14(70%)
80	Mirrors, cylindrical concave glass	28(70%)	27(67.5%)	16(80%)	14(70%)
81	Spherical concave focus	24(60%)	24(60%)	13(65%)	11(55%)
82	Newton 's disc	15(37.5%)	10(25%)	3(15%)	3(15%)
83	Optical screens white	31(77.5%)	31(77.5%)	16(80%)	12(60%)
84	Pulleys	33(82.5%)	33(82.5%)	16(80%)	12(60%)
85	Pendulum	33(82.5%)	33(82.5%)	17(85%)	13(65%)
86	Pumps lift	15(37.5%)	15(37.5%)	4(20%)	4(20%)
87	Bicycle	5(12.5%)	5(12.5%)	1(5%)	1(5%)
88	Pin –optical expt.	25(62.5%)	25(62.5%)	16(80%)	15(75%)
89	Perspex prism	12(30%)	11(27.5%)	10(50%)	10(50%)
90	Plotting compass	18(45%)	18(45%)	5(25%)	5(25%)
91	Plug leads(red and black) length 30cl	35(87.5%)	11(20%)	10(50%)	10(50%)
92	Potentiometer	37(92.5%)	33(82.5%)	15(75%)	14(70%)
93	Pitch box	5(12.5%)	5(12.5%)	10(50%)	5(25%)
94	Power unit( low voltage)	16(40%)	16(40%)	10(50%)	10(50%)
95	Ruler Hard wood	14(35%)	14(35%)	10(50%)	10(50%)
96	Rubber tubing Int.	13(32.5%)	12(30%)	4(20%)	3(15%)
97	Tubbing P.V.C Int.	12(30%)	12(30%)	10(50%)	5(25%)
98	Regnaults hygrometer	9(22.5%)	8(20%)	4(20%)	4(20%)
99	Radiation kit	12(30%)	4(10%)	4(20%)	4(20%)
100	Ray optics box with accessories 12V12	31(77.5%)	26(65%)	16(80%)	14(70%)
	watts bulb				
101	Ray optics and color mixing	22(55%)	22(55%)	5(25%)	5(25%)
102	Refraction and reflection trough	12(30%)	11(27.5%)	10(50%)	10(50%)
103	Ray lamp(for above)	27(67.5%)	21(52.5%)	15(75%)	13(65%)
104	Resonance tube apparatus	20(50%)	18(45%)	3(15%)	3(15%)
105	Ripple tank and accessories	15(37.5%)	15(37.5%)	1(5%)	1(5%)
106	Resistors	33(82.5%)	33(82.5%)	16(80%)	16(80%)
107	Rheostats 0-15 ohms,4A	35(87.5%)	35(87.5%)	15(75%)	15(75%)
108	Retort stands ,boss lead and clamps	38(95%)	38(95%)	15(75%)	15(75%)
109	Resistance box 0-1000ohms	27(67.5%)	27(67.5%)	16(80%)	15(75%)
110	Rods mild steel 20cmx1.2 mm-diam.	6(15%)	6(15%)	4(20%)	4(20%)
111	Rods soft iron 1cm diam.	8(20%)	9(22.5%)	10(50%)	9(45%)
112	Spring balance	35(87.5%)	35(87.5%)	17(85%)	16(80%)
113	Scale pans for balances	35(87.5%)	26(65%)	11(55%)	10(50%)
114	Sliding vernier calipers	38(95%)	34(85%)	13(65%)	13(65%)
115	Stop watches	38(95%)	38(95%)	16(80%)	16(80%)
116	Stop clocks	38(95%)	30(95%)	16(80%)	16(80%)
117	Spiral springs	37(92.5%)	37(92.5%)	15(75%)	15(75%)
118	Soft wooden blocks	25(62.5%)	24(60%)	17(85%)	17(85%)
119	Syringes	30(75%)	26(65%)	11(55%)	8(40%)
120	Stands for leslie cube	4(10%)	1(2.5%)	10(50%)	10(50%)
121	Set of 'cinemold' filter	1(2.5%)	1(2.5%))	4(20%)	4(20%)
122	Set becks siren	3(7.5%)	8(20%)	4(20%)	4(20%)
123	Sonometer	10(25%)	9(22.5%)	5(25%)	5(25%)
124	Socket (red and black)	20(50%)	16(40%)	11(55%)	11(55%)
125	Slinky springs	8(20%)	8(20%)	4(20%)	4(20%)
126	Ticker timer	11(27.5%)	10(25%)	5(25%)	5(25%)
127	Ticker timer tapes	12(30%)	6(15%)	4(20%)	4(20%)
128	Trolley	13(32.5%)	11(27.5%)	5(25%)	5(25%)
129	Test tube	35(87.5%)	34(85%)	16(80%)	16(80%)
130	Boiling tube	30(75%)	30(75%)	18(80%)	18(80%)
131	Tripod stands	37(92.5%)	27(67.5%)	17(85%)	17(85%)
132	Thermometer mercury glass	32(80%)	32(80%)	16(80%)	16(80%)
133	Wet and dry bulb	27(67.5%)	27(67.5%	11(55%)	10(50%)
134	Thermal conductivity of metal	14(35%)	14(35%)	4(20%)	14(70%)
135	Tuning forks	30(75%)	27(45%)	11(55%)	10(50%)
136	U-tubes	27(67.5%)	18(45%)	16(80%)	16(80%)
137	Unequal expansion of liquid	14(35%)	4(10%)	5(25%)	5(25%)
		-		-	

## Assessment of Resources for Physics Teaching in Nigerian Senior Secondary Schools

	Apperatus				
138	Apparatus Voltmeters 05-3VD/C	32(80%)	32(80%)	16(80%)	16(80%)
138	Vacuum pum10p	18(45%)	17(42.5%)	5(25%)	5(25%)
140	Wire eureka 2417 S .W.G,26 SWG	12(30%)	12(30%)	10(50%)	10(50%)
140	Copper	25(62.5%)	24(60%)	17(85%)	17(85%)
142	Whirling table	11(27.5%)	9(22.5%)	4(20%)	1(5%)
143	Wire gauge with asbestos	20(50%)	18(45%)	10(50%)	5(25%)
144	Candles	25(62.5%)	25(62.5%	14(70%)	14(70%)
145	Plasticine	26(65%)	26(65%)	10(50%)	10(50%)
146	Cellotape	28(70%)	26(65%)	16(80%)	16(80%)
147	Sealing wax	17(42.5%)	17(42.5%)	5(25%)	5(25%)
148	Screw(assorted size)	24(60%)	23(57.5%)	13(65%)	13(65%)
149	Pliers	27(67.5%)	22(55%)	13(65%)	13(65%)
150	Pincers	16(40%)	10(25%)	10(50%)	10(50%)
151	Wood splint	15(37.5%)	8(20%)	10(50%)	10(50%)
152	Cotton thread	27(67.5%)	27(67.5%)	15(75%)	15(75%)
153	Filter paper	35(87.5%)	35(87.5%)	17(85%)	17(85%)
154	Grease	28(70%)	28(70%)	10(50%)	10(50%)
155	Thin machine oil for lubrication	27(67.5%)	15(37.5%)	10(50%)	10(50%)
156	Lubricating paper	31(77.5%)	31(77.5%)	14(70%)	13(65%)
157	Graph sheet	31(77.5%)	31(77.5%)	12(60%)	12(60%)
158	Paper cartridge	15(37.5%)	15(37.5%)	10(50%)	10(50%)
159	Drawing pins	37(92.5%)	35(87.5%)	12(60%)	10(50%)
160	Soldering iron	21(52.5%)	21(52.5%)	10(50%)	16(80%)
161	Scissors	32(80%)	30(75%)	14(70%)	14(70%)
162	Ammonium chloride	31(77.5%)	31(77.5%)	12(60%)	10(50%)
163	Calcium chlorine	30(75%)	30(75%)	14(70%)	13(65%)
164	Copper Sulphate	27(67.5%)	26(65%)	13(65%)	13(65%)
165	Distilled water	26(65%)	26(65%)	13(65%)	13(65%)
166	Kerosene	35(87.5%)	32(80%)	11(55%)	11(55%)
167	Mercury Methodesed entitie	26(65%)	26(65%)	10(50%)	10(50%)
168	Methylated spirit Nitric acid	34(85%)	31(77.5%) 28(70%)	16(80%)	15(75%)
169 170	Potassium hydroxide	28(70%) 25(62.5%)	28(70%) 25(62.5%)	15(75%) 18(90%)	12(60%) 13(65%)
170	Boyle's law apparatus	9(22.5%)	9(22.5%)	10(50%)	10(50%)
171	Brownian motion apparatus	9(22.5%) 11(27.5%)	9(22.5%)	10(50%)	10(50%)
172	Bar and gauge apparatus	16(40%)	12(30%)	10(50%)	7(35%)
174	Constant volume apparatus	7(17.5%)	7(17.5%)	10(50%)	10(50%)
175	Calipers vernier demonstration type	28(70%)	25(62.5%)	15(75%)	12(60%)
176	Displacement vessel(metal)	4(10%)	4(10%)	10(50%)	10(50%)
177	Equality of pressure in liquid apparatus	6(15%)	6(15%)	2(10%)	2(10%)
178	Hydrometer for universal	6(15%)	5(12.5%)	4(20%)	4(20%)
179	Iron rods-soft iron for electromagnets	13(32.5%)	13(32.5%)	12(60%)	10(50%)
180	Metal blocks assorted shapes of copper	13(32.5%)	7(17.5%)	16(80%)	10(50%)
	iron, brass, lead				
181	Plane 10cmx2.5	8(20%)	8(20%)	10(50%)	10(50%)
182	Force	9(22.5%)	8(20%)	10(50%)	10(50%)
183	Rubber bungs, woodcorks-assorted 3 sets	21(52.5%)	20(50%)	10(50%)	10(50%)
184	Slottedweightsetsx100g,2x20g,2x10g	21(52.5%)	21(52.5%)	13(65%)	11(55%)
185	Sets of assorted rods for assorted metals for	17(42.5%)	17(42.5%)	13(65%)	11(55%0
	conductivity				
186	Sarvet's toothed wheel	5(12.5%)	5(12.5%)	10(50%)	10(50%)
187	Clinical thermometer	17(4.5%)	13(32.5%)	10(50%)	10(50%)
188	Max and Min thermometer	13(32.5%)	13(32.5%)	10(50%)	10(50%)
189	Turning forks and resonance boxes	20(50%)	17(42.5%)	11(55%)	10(50%)
190	Turning fork of different frequency	12(30%)	10(25%)	11(55%)	10(50%)
191	Triple 0-1.5,3,13VD/Cvolt	14(35%)	14(35%)	11(55%)	10(50%)
192	WiresNichrome26,28,32S.WG	12(30%)	9(22.5%)	10(50%)	4(20%)
193	Wiresconstantanbare24,26,28,32 S.W.G	26(65%)	20(50%)	10(50%)	10(50%)

AV=Available, UT = Utilization

Table 2 shows the responses of the Physics teachers on the availability and adequacy of laboratory facilities in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria. From the 193 items listed on the table it can be seen that only 35 items in public senior secondary schools and 17 items in private senior secondary schools were considered not available because they do not have 50% of the respondents indicating their availability in schools. Among the unavailable items in both private and public senior secondary schools were compass mariners, dip circle, dip needles, electroscope simple flat type(complete), electric bells, glass cube hallow, fur, flame spectra kit, fluid pressure apparatus slinky spring, ticker timer tapes, trolley, hydrometer, accumulator, hare's apparatus, hypsometer, hope's apparatus, kinetic theory model kit, set beck's siren, sonometer, Leslie cube, Levden jar, magnetizing and demagnetizing coil, neutron's disc, pump lift, bicycle, plotting compass, rubber tubing int, thermal conductivity metals, unequal whirling tube, sealing wax, regnauts hygrometer tank and accessories, rod mild steel 20cm x 1.2mm of pressure in liquid apparatus and hydrometer for universal. In addition, induction coil model, iron U-band for electromagnetic, avometer, asbestos sheet 20cm x 20cm, aluminum scale pans, balloon, bimetallic strips, breaking bars-cast iron, compass rod, electric motor, electric bell jars, hydraulic pressure- demonstrator type and resonance tube apparatus were not available. While bar and gauge apparatus, glass tube claim, power unit (low voltage), ruler hardwood, tubing pvc int, knitting needle 17cm, linear apparatus expansion, magnetic rectangle 60 x 15 x 15mm, horse shoe, magnetic needles with stand, Perspex prism pitch balls, refraction and reflection trough, rod soft iron 1cm, diameter x 10cm, stands for leslie cube, wire eureka 24 S.W.G, 26 SWG, pincers, wood split, paper cartridge, Boyle's law apparatus, Brownian motion apparatus, Charles law apparatus displacement vessel (metal block assorted shape for copper iron, brass, lead plane 10cm x 2.5, force, sets of assorted rods for assorted metals for conductivity, sarvet's toothed wheel, clinical thermometer, maximum and minimum thermometer, turning fork of different frequencies, triples 0 -15, 3, 30 VD/C voltmeter and wire nichrome 26, 28, 32 S.W.G were not available in public senior schools. The implication of this result is that, majority of the laboratory facilities for teaching Physics are available in Ondo West Local Government Area in Ondo State of Nigeria public and private senior secondary schools but are not adequate.

**Research Questions 3:** How utilized are the available laboratory facilities for the teaching of Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State?

Table 2 showed that, 103 of the 193 items on Table 2 were considered not utilized in public and private senior secondary schools. Out of 103 items ,59 were not utilized in both public and private senior secondary schools These include balloon, breaking bars, cast iron, compass mariners, compass plotting, dip circle, dip needles, ebonite rod, electroscope simple flat tyre (complete), electric balls, electric bell jars, fur, flame spectra kit, fluid pressure apparatus, glass cube hallow, hydrometer accumulator, hydraulic pressure demonstrator apparatus, hare's apparatus, hypsometer, Hope's apparatus, knitting needle 17cm, leslie cube, leydenjar, magnetizing and demagnetizing coil, magnetizing needles with stands, Newton's disc, pump lift, bicycle, plotting compass, pitch balls, rubber tubing int, tubing pvc int, regnauts hygrometer, radiation kit, resonance tube apparatus, ripple tank and accessories, rod mild steel 20cmx-1.2mm- diam, Red soft iron, 1cm diam x 10cm, set of six "cinemoid" filter, set beets siren, senometer, slink springs, ticker timer, ticker timer tapes, trolley unequal expansion of liquid apparatus, whirling table, scaling wax, bar and gauge apparatus, equality of pressure in liquid apparatus, hydrometer for universal wires nchrome 26, 28, 32 SWG. In addition, 33 items were not utilized in public senior secondary schools. These include, bar and gauge apparatus, cells-Daniel complete, glass tube claim, hydrometer range, linear expansion apparatus, magnet rectangle 60x15x15mm, horse shoe, perspex prism, plug leads (red and black) length 30cm power unit (10w voltage), Ruler (hardwood), refraction and reflection trough, stand for Leslie cube, socket (red and black), thermal conductivity of metals, U tubes, vacuum pump, wire Eureka 24 SWG, 26 SWG wire guage with asbestos, pincers, wood splint, paper. cartridge, iron rods, soft iron for electromagnets, metal blocks assorted shapes of copper 1m, brass, lead plane 10cm x 2.5, force, sets of assorted rods for assorted metals for conductivity, sarvet's toothed wheel, clinical thermometer, maximum and minimum thermometers, tuning forks on resonance boxes, turning forks of different frequencies and triple 0-1.5, 3, 30 VDK voltmeter. avometer, asbestos sheet 20cm x 20cm, aluminum scale pans, bimetallic strips cork burners, density bottles, electric meter (1walt) 1-5g 6v, glass block rectangle, induction coil mole) iron U bend for electromagnet, ray optics and colour mixing, and syringes. The implication of this result is that, some of the laboratory facilities are adequate and not well utilized in making the state technologically developed. This finding is in agreement with the work of Onabanjo and Akinsola (2000) that, the laboratory facilities available in Oyo State of Nigeria are not adequately utilized. The result is also in agreement with Akinbobola (2006) that, non-human resources in senior secondary schools in Akwa Ibom State are not adequately utilized.

**Hypothesis 1**: There is no significant difference between the number of qualified Physics teacher in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.

The analysis is shown in Table 3

**Table3:** Chi square analysis of number of qualified Physics teachers in private and public senior secondary schools

Qualification	Public	Private	Row total	df	Cal. $x^2$ -	Crit. $x^2$ -	Decision
	School	School			value	value	at p<.05
Qualified	34	11	45	1	6.40	3.84	S
Not qualified	6	9	15				
Total column	40	20	60				

S = Significant at p < .05 alpha level

As shown in Table 3, the calculated  $x^{2}$  value of 6.40 is greater than the critical  $x^{2}$ -value of 3.84. Thus, the null hypothesis stating non-significant difference between the number of qualified Physics teachers in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria was rejected. The result in Table 3 also indicated that, there are more qualified Physics teachers in public senior secondary schools than private senior secondary schools. This is in line with the findings of Odubunmi and Balogun (1991) that serious, short falls have always existed in the number of professionally qualified science and technical teachers, needed in the nations, schools and colleges. The result is also in agreement with the findings of Akinbobola (2006) that, there are more Physics teachers in public senior secondary schools than private senior secondary schools in Akwa Ibom State of Nigeria.

**Hypothesis 2:** There is no significant difference between the quantity of available laboratory facilities for teaching Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.

The analysis as shown in Table 4.

Availability	Public School	Private School	Row total	df	Cal. x <sup>2</sup> - value	Crit. x <sup>2</sup> - value	Decision at p<.05
Available	3395(3510.52)	1744(1628.47)	5139	1	67.89	3.84	S
Not available	869 (753.48)	234(349.52)	1103				
Total column	4264	1978	6242				

Table4: Chi square analysis of laboratory facilities available in private and public senior secondary schools

S = Significant at p<.05alpha level

As shown in Table 4, the calculated  $x^2$ -value 67.89 was greater than the critical value of 3.84. Thus, the null hypothesis which stated that there is no significant difference between the quantity of available laboratory facilities for teaching Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria was rejected.

The result in Table 4 also indicated that, the available numbers of laboratory facilities for teaching Physics in public senior secondary schools are more than that of the private senior secondary senior schools. The result is in consistent with the findings of Ajetunmobi and Bashorun in (1999) that science tools, equipment facilities and infrastructures for science teachers are appalling in Nigeria.

**Hypothesis 3**: There is no significant difference between the utilization of the available laboratory facilities for the teaching of Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria.

The analysis is as shown in Table 5.

Utilization	Public School	Private	Row total	df	Cal. $x^2$ -	Crit. $x^2$ -	Decision
		School			value	value	at p<.05
Available	1598(1451.49)	2920(3066.51)	4518	1	67.89	3.84	S
Not available	266 (412.51)	1018(871.49)	1284				
Total column	1864	3938	5802				

Table5: Chi square analysis of utilization of the available laboratory facilities for the teaching of Physics

### S = Significant at p<.05alpha level

As shown in Table 5, the calculated  $x^2$ -value of 98.45 is greater than the critical value of 3.84. Thus, the null hypothesis which stated that, there is no significant difference between the utilization of the available laboratory facilities for the teaching of Physics in private and public senior secondary schools in Ondo West Local Government Area in Ondo State of Nigeria was rejected. The result in Table 5 also indicated that, the utilization of the available facilities for teaching Physics in public secondary schools is more than that of private schools.

# 5. CONCLUSION

Based on the study findings, the researchers conclude that:

- Most practical lessons were either ignored or not properly organized to perform an experiment, discuss results and conclude because of inadequate laboratory facilities in both private and public senior secondary schools.
- Apparatus, tools, equipment and materials were used mostly for class demonstrations.
- Physics teachers were unable to teach very well because of inadequate resources.
- Necessity of resources was not taken into consideration from requisitions but instead, urgency and cost were mostly considered.
- Due to free secondary education in Nigeria, high student enrolment affected the provision of adequate resources due to inadequate funds from the government.
- Majority of the Physics teachers available in senior secondary schools in Ondo West Local Government Area in Ondo State, Nigeria are qualified to teach Physics but the numbers are not adequate.
- There are more qualified Physics teachers and laboratory facilities in public senior secondary schools than private senior secondary schools.
- Laboratory facilities for the teaching of Physics in Ondo West Local Government Area in Ondo State, Nigeria are not adequate in number for effective teaching

# RECOMMENDATIONS

Based on the research findings, the following recommendations were made:

- More resources should be mobilized and sent to schools to support and sustain the effective use of the laboratories and direct employment of more Physics teachers to boost the learning process. The available resources within the ministry of education should be relocated within the education subsectors to support the teaching of Physics in secondary schools in order to achieve our vision for quality education.
- Schools depending on the existing circumstances should start alternative and sustainable ways of raising funds for the provision of laboratory facilities. These include Agricultural Practices, use of Parents Teachers Association (PTA) among others. The money realise can be used in the acquisition and maintenance of resources.
- The government alone cannot provide for all the educational needs of her people. More emphasis on cost sharing in the provision of resources is very important. The parents should employ more teachers through PTA in order to compliment those employed by the Teaching Service Commission (TESCOM).
- In order to meet and cater for the needs of the schools, the public schools principals, private schools proprietor and parents should sponsor more Physics teachers to seminars and workshops.

This will motivate the teachers and inject professionalism, more critical capacity building at all levels and serious planning in the implementation of the curriculum process.

- There is need for a responsive national sensitization and public education programme on free secondary education in Nigeria to sensitize parents and communities about free secondary education. This will clear the notion that currently surrounds free secondary programme as far as cost and financing of the programme is concerned. It is not the responsibility of the government alone with the rising cost of living; the parents must subsidize to help it succeed.
- The quality assurance and standards department should employ more and train staff on how to monitor all the facilities in all secondary schools and advice as well as report to ministry headquarters.
- With the increasing numbers of students in enrolments, the facilities always seem inadequate. The Non-Governmental Organisations (NGOs) and Philanthropist should assist in funding science education in Nigeria.

## REFERENCES

- [1] Achimugu, A. (1998). *Status of human resources for communicating science, technology and mathematics (STM) education.* 39<sup>th</sup> annual conference proceeding of science teacher association of Nigeria (STAN).
- [2] Ajetunmobi, A.W. & Bashorun, O.W. (1999). *Strategies for effective teaching-learning process in agricultural science education at the secondary school level.* 40th annual conference proceeding of STAN. pp. 75-79.
- [3] Akinbobola, A.O. (2006). *Status of resources for physics teaching in public and private secondary schools in Akwa Ibom State.* 47th annual conference proceeding of STA. pp. 298-304.
- [4] Akinbobola, A.O. (2015). Evaluating science laboratory classroom learning environment in Osun State of Nigeria for national development. *Journal of Resources Development and Management*, 9, 14-19.
- [5] Akinbobola, A.O. & Bada, A.A. (2017). A compendium of teaching methods. In S.O. Oyekan, A.O. Akinbobola & R.F. Adebile (Eds.), *Creative learning of physics*. Ondo: Patrick Ade Prints (Nig.) Ltd.
- [6] Akpochafo, W. (2003). Resource management for effective instruction in Nigerian universities: Some practical consideration. *Journal of WCCI Nigerian Chapter*, 4(1), 66-75.
- [7] Hofstein, A. & Lunetta, V.N. (2004). The laboratory in science education: Foundation for the 21st century. *Science Education*, 88, 28-54.
- [8] Hofstein, A. & Mamlok-Naaman, R. (2007). The laboratory in science education: The state of the art. *Journal of Chemistry Education Research and Practice*, 8(2), 105-107.
- [9] Hofstein, A., Navon, O., Kipnis, M. & Mamlok-Naaman, R. (2005). Developing students' ability to ask more and better questions resulting from inquiry-type chemistry laboratories. *Journal of Research in Science Teaching*, 40(2), 124-138.
- [10] Krajcik, J., Mamlok, R. & Hug, B. (2001). Modern content and the enterprise of science: Science education in the 20th century. In L. Corno (Rd.), *Education across a century*" *The centennial*, pp. 205-238. Chicago, Illinois: National Society for the Study of Education.
- [11] Molla, T. (2012). Higher education policy reform in Ethiopia: The representation of the problem of gender inequality. *Higher Education Policy*, 26, 193-215.
- [12] Moorhead, G. & Friffin, R.W. (2002). Organisational behaviour. New York: Houghton Mifflin.
- [13] National Research Council (NRS, 2000). *Inquiry and the national science education standards*. Washington DC: National Academy Press.
- [14] Odubunmi, O. & Balogun, T.A. (1991). The effect of laboratory and lecture teaching methods on cognitive achievement in integrated science. *Journal of Research in Science Teaching*, 28, 213-224.
- [15] Ogweno, P.O. (2015). Teaching and learning resources as determinants of students academic performance in secondary agriculture in Rachuonyo North Sub Country, Kenya. *International Journal of Advanced Research*, 3(9), 577-587.
- [16] Olufunke, B.T. (2012). Effect of availability and utilization of physics laboratory equipment on students' academic achievement in senior secondary school physics. *World Journal of Education*, 2(5), 1-7.
- [17] Onabanjo, I.O. & Akinsola, O.S. (2000). An investigation into the utilization of the available resources in mathematics classroom. 41st annual conference proceeding of STAN.
- [18] Owoeye, J.S. & Yara, P.O. (2011). School facilities and academic achievement of secondary school agricultural science in Equity State, Nigeria. *Asian Social Science*, 7(7), 64-74.

- [19] Oyekan, S.O. & Akinbobola, A.O. (2017). Basic studies is education. In J.O. Adejumo, S.O. Oyekan, R.O. Oloyede & M. Alfa-Olasunkande (Eds.), *Curriculum and instruction*. Ondo: Adeyemi College Academic Press.
- [20] Sally, T. (2010). The importance of quality education. China Daily: The Johns Hopkins University Press.
- [21] Tobin, K.G. (1990). Research on science laboratory activities in pursuit of better questions and answers to improve learning. *School Science and Mathematics*, 90, 403-418.

**Citation:** Akinbobola, Akinyemi Olufunminiyi, Bada, Abiodun Adekunle. "Assessment of Resources for Physics Teaching in Nigerian Senior Secondary Schools". International Journal of Humanities Social Sciences and Education (IJHSSE), vol. 6, no.8, 2019, pp. 1-13. doi: http://dx.doi.org/10.20431/2349-0381.0608001.

**Copyright:** © 2019 Authors. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

International Journal of Humanities Social Sciences and Education (IJHSSE)